

# pewag levo hook LH5

The revolution of load handling

the  
**next**  
generation  
of **hooks**

**NEW**



levo.pewag.com

# Innovative. Reliable. Radio-controlled.

## Your benefits at a glance



### Cost and time savings thanks to speedy work processes

Up to 8,000 operating cycles without a break, hook opens and closes within 2.5 seconds



### Increased safety for user and load

Safety factor against break: 4:1, accidental opening of the levo hook under load is not possible, secured communication between hook and remote control



### Complete range of services (on-the-job training)

e-learning trainings, pewag expert support during initial operation



### Top pewag quality

Patented tool-free locking of the rotation lock, tool-free initial mounting

## pewag levo hook – developed for specialists

This innovative hook really comes into its own in extreme working conditions:

### Loads that are difficult to reach

The levo hook offers optimal support for works performed at great heights, in construction pits or in extreme temperatures.


### Works performed in hazard areas

The levo hook increases safety for workers, in particular during speedy work processes. Critical situations are avoided thanks to automated loading and unloading.

### Works that require additional manpower

Thanks to the innovative levo hook, work processes are made easier as the crane operator is able to attach and unhook the load independently.

## Possible areas of application



# pewag levo hook LH5

## The next generation of hooks

The pewag levo hook is an innovative lifting device with a rotatable lifting hook.

The pewag levo hook is operated by radio control, ensuring the straightforward, safe and speedy handling of loads. Loads no longer need to be attached and removed manually.

By interlinking several hooks, work processes may be simplified and stream-lined even further.



## Basis configuration



Practicable remote control




Charging station

pewag levo hook 5 to  
equipped with temperature sensor, peTAG (for clear product  
identification) and operating manual

## Optional equipment




Magnetic module with sensor  
for automatic load pickup



Lighting module  
fully illuminated working area



pewag levo manager  
comprehensive software  
Weighing module  
Data logger



Multiloading Adapter  
to operate up to 10 charging  
stations in one line



FO/17/00303 9



levo.pewag.com

**pewag austria GmbH**

A-8041 Graz, Gaslaternenweg 4, Phone: +43 505011-0, Fax: +43 50501180-100,  
saleinfo@pewag.com, [www.pewag.com](http://www.pewag.com)

For detailed information:  
[levo@pewag.com](mailto:levo@pewag.com)  
Phone: +43 664 6200 120